Author Index

Akasaka, K., Ohrui, H. and Meguro, H.
Normal-phase high-performance liquid chromatography with a fluorimetric postcolumn detection system for lipid hydroperoxides 628(1993)31

Alred, P. A., Tjerneld, F. and Modlin, R. F.
Partitioning of ecdysteroids using temperature-induced phase separation 628(1993)205

André, P., see Morin, P. 628(1993)161

Ayyangar, N. R., see Tambe, A. S. 628(1993)143

Baba, Y., see Kura, G. 628(1993)241

Ballantine, Jr., D. S.
Quantitative structure–retention relationship approach to prediction of linear solvation energy relationship coefficients. I. H-Bond acceptor capability of gas chromatography stationary phases in McReynolds data set 628(1993)247

Bank, S., see Zhu, M. 628(1993)37

Baumeister, K., see Weinmann, W. 628(1993)111

Beattie, K. A., see Poon, G. K. 628(1993)215

Berezkin, V. G.
Analysis of substances in the gaseous phase (Comprehensive Analytical Chemistry, VOl. XXVIII) (by E. Smolková-Keulemansová and L. Feltl) 628(1993)170

Betts, T.J.
Two-solute method for indicating polarity changes of conventional and novel gas chromatographic stationary phases with temperature increase 628(1993)138

Biswas, S., see Tambe, A. S. 628(1993)143

Blanch, G. P., Tabera, J., Herraiz, M. and Reglero, G.
Preconcentration of volatile components of foods: optimization of the steam distillation–solvent extraction at normal pressure 628(1993)261

Bourguignon, B., Marcenac, F., Keller, H. R., De Aguiar, P. F. and Massart, D. L.
Simultaneous optimization of pH and organic modifier content of the mobile phase for the separation of chlorophenols using a Doehlert design 628(1993)171

Ćelap, M. B., see Tešić, Ž. L. 628(1993)148

Chen, X., see Zhu, M. 628(1993)37

Christie, W. W.
Advances in applied lipid research, volume 1 (edited by F. B. Padley) (Book Review) 628(1993)322

Codd, G.A., see Poon, G.K. 628(1993)215

Daniel, T., see Tambe, A. S. 628(1993)143

De Aguiar, P. F., see Bourguignon, B. 628(1993)171

DeCaprio, A. P., see Zhu, M. 628(1993)37

Doretti, L., see Sturaro, A. 628(1993)316

Dorsey, T. F., see Eganhouse, R. P. 628(1993)81

Drandarov, K. and Hais, I. M.
Thin-layer chromatography of the positional isomers of some 1,2,3,4-tetrahydro-2-naphthol and 3-amino-1,2,3,4-tetrahydro-2-naphthol derivatives 628(1993)103

Dreux, M., see Morin, P. 628(1993)153

Dreux, M., see Morin, P. 628(1993)161

Edwards, C., see Poon, G. K. 628(1993)215

Eganhouse, R. P., Dorsey, T. F., Phinney, C. S. and Westcott, A. M.
Determination of C_6–C_{10} aromatic hydrocarbons in water by purge-and-trap capillary gas chromatography 628(1993)81

Elmroth, I., Fox, A. and Larsson, L.
Determination of bacterial muramic acid by gas chromatography–mass spectrometry with negative-ion detection 628(1993)93

Fox, A., see Elmroth, I. 628(1993)93

Gao, R.-Y., see Wang, Q.-S. 628(1993)127

Garrigues, P., see Pyell, U. 628(1993)3

Gaš, B., see Hirokawa, T. 628(1993)283

Gilpin, R. K., see Heuchel, M. 628(1993)59

Griggs, L. J., see Poon, G. K. 628(1993)215

Gügel, A. and Müllen, K.
Separation of C_{60} and C_{70} on polystyrene gel with toluene as mobile phase 628(1993)23

Gyllenhaal, O. and Vessman, J.
Packed-column supercritical fluid chromatography of omeprazole and related compounds. Selection of column support with triethylamine- and methanol-modified carbon dioxide as the mobile phase 628(1993)275

Hais, I. M., see Drandarov, K. 628(1993)103

Hajos, P.
Ion chromatography. Principles and applications (by P. R. Haddad and P. E. Jackson) (Book Review) 628(1993)319

Hansen, S. H., see Kristensen, H. K. 628(1993)309

Hargitai, T., Kaida, Y. and Okamoto, Y.
Preparation and chromatographic evaluation of 3,5-dimethylphenyl carbamoylated β-cyclodextrin stationary phases for normal-phase high-performance liquid chromatographic separation of enantiomers 628(1993)11

Hendrix, C., Wijsen, C., Yun, L. M., Roets, E. and Hoogmartens, J.
Column liquid chromatography of cefadroxil on poly(styrene–divinylbenzene) 628(1993)49

Herraiz, M., see Blanch, G. P. 628(1993)261

Heuchel, M., Jaroniec, M. and Gilpin, R. K.
Application of a new numerical method for characterizing heterogeneous solids by using gas–solid chromatographic data 628(1993)59

Hirokawa, T., Kiso, Y., Gaš, B., Zusková, I. and Vacík, J.
Simulated quantitative and qualitative isotachophoretic indices of 73 amino acids and peptides in the pH range 6.4–10 628(1993)283

Hoogmartens, J., see Hendrix, C. 628(1993)49

Irth, H.
Laboratory experiments in liquid chromatography (by W. V. Willis) (Book Review) 628(1993)321

Ishida, N., see Yoshida, M. 628(1993)235

Janjić, T. J., see Tešić, Ž. L. 628(1993)148

Jaroniec, M., see Heuchel, M. 628(1993)59

Jauhiainen, T.-P., see Kunnas, A. V. 628(1993)269

Kaida, Y., see Hargitai, T. 628(1993)11

(Continued overleaf)

Kaufmann, I., see Weinmann, W. 628(1993)111
Keller, H. R., see Bourguignon, B. 628(1993)171
Kiso, Y., see Hirokawa, T. 628(1993)283
Kitamura, E., see Kura, G. 628(1993)241
Kristensen, H. K. and Hansen, S. H.
Separation of polymyxins by micellar electrokinetic capillary chromatography 628(1993)309
Kunnas, A. V. and Jauhiainen, T.-P.
Separation and identification of free amino acid enantiomers in peat by capillary gas chromatography 628(1993)269
Kura, G., Kitamura, E. and Baba, Y.
Temperature dependence of the anion-exchange chromatographic behaviour of cyclic phosphate oligomers and their anion-exchange separation 628(1993)241
Larsson, L., see Elmroth, I. 628(1993)93
Marcenac, F., see Bourguignon, B. 628(1993)171
Massart, D. L., see Bourguignon, B. 628(1993)171
Meguro, H., see Akasaka, K. 628(1993)31
Mizuno, K., see Takagi, K. 628(1993)122
Modlin, R. F., see Alred, P. A. 628(1993)205
Morin, P., Villard, F. and Dreux, M.
Borate complexation of flavonoid-O-glycosides in capillary electrophoresis. I. Separation of flavonoid-7-O-glycosides differing in their flavonoid aglycone 628(1993)153
Morin, P., Villard, F., Dreux, M. and André, P.
Borate complexation of flavonoid-O-glycosides in capillary electrophoresis. II. Separation of flavonoid-3-O-glycosides differing in their sugar moiety 628(1993)161
Müllen, K., see Gügel, A. 628(1993)23
Nogata, Y., see Ohta, H. 628(1993)199
Ohrui, H., see Akasaka, K. 628(1993)31
Ohta, H., Takeda, Y., Yoza, K.-I. and Nogata, Y.
High-performance liquid chromatographic determination of polyamines in selected vegetables with postcolumn fluorimetric derivatization 628(1993)199
Okamoto, Y., see Hargitai, T. 628(1993)11
Parvoli, G., see Sturaro, A. 628(1993)316
Phinney, C. S., see Eganhouse, R. P. 628(1993)81
Poon, G. K., Griggs, L. J., Edwards, C., Beattie, K. A. and Codd, G. A.
Liquid chromatography–electrospray ionization-mass spectrometry of cyanobacterial toxins 628(1993)215
Przybylski, M., see Weinmann, W. 628(1993)111
Pyell, U., Garrigues, P. and Rayez, M. T.
Influence of shape parameters on the separation of tetrachlorodibenzo-*p*-dioxin isomers on reversed-phase columns 628(1993)3
Rayez, M. T., see Pyell, U. 628(1993)3
Reglero, G., see Blanch, G. P. 628(1993)261
Roets, E., see Hendrix, C. 628(1993)49
Sabljić, A., see Sekušak, S. 628(1993)69
Saito, Y., see Takagi, K. 628(1993)122
Satoh, S., see Takagi, K. 628(1993)122
Sekušak, S. and Sabljić, A.
Calculation of retention indices by molecular topology. III. Chlorinated dibenzodioxins 628(1993)69
Shimizu, M., see Takagi, K. 628(1993)122
Spink, D. C., see Zhu, M. 628(1993)37
Sturaro, A., Parvoli, G. and Doretti, L.
High-performance liquid chromatographic determination of urinary 2,5-hexanedione 628(1993)316
Tabera, J., see Blanch, G. P. 628(1993)261
Takagi, K., Toyoda, M., Saito, Y., Mizuno, K., Shimizu, M. and Satoh, S.
Determination of kinetin in callus of *Panax ginseng* by liquid chromatography 628(1993)122
Takeda, Y., see Ohta, H. 628(1993)199
Tambe, A. S., Daniel, T., Biswas, S. and Ayyangar, N. R.
Gas chromatographic method for the determination of chlorobenzophenone isomers 628(1993)143
Tešić, Ž. L., Janjić, T. J. and Ćelap, M. B.
Thin-layer chromatography on silica gel of a homologous series of bis(alkylxanthato)nickel(II) complexes 628(1993)148
Tjerneld, F., see Alred, P. A. 628(1993)205
Tokiyasu, T., see Yoshida, M. 628(1993)235
Toyoda, M., see Takagi, K. 628(1993)122
Vacík, J., see Hirokawa, T. 628(1993)283
Vessman, J., see Gyllenhaal, O. 628(1993)275
Villard, F., see Morin, P. 628(1993)153
Villard, F., see Morin, P. 628(1993)161
Wang, Q.-S., Gao, R.-Y. and Yan, B.-W.
Optimization of the separation of technical aldicarb by semi-preparative reversed-phase high-performance liquid chromatography 628(1993)127
Wang, Y.-C. and Whang, C.-W.
High-performance liquid chromatography of inorganic mercury and organomercury with 2-mercaptobenzothiazole 628(1993)133
Watabiki, T., see Yoshida, M. 628(1993)235
Weinmann, W., Baumeister, K., Kaufmann, I. and Przybylski, M.
Structural characterization of polypeptides and proteins by combination of capillary electrophoresis and ^{252}Cf plasma desorption mass spectrometry 628(1993)111
Westcott, A. M., see Eganhouse, R. P. 628(1993)81
Whang, C.-W., see Wang, Y.-C. 628(1993)133
Wijsen, C., see Hendrix, C. 628(1993)49
Wrisley, L.
Use of computer simulations in the development of gradient and isocratic high-performance liquid chromatography methods for analysis of drug compounds and synthetic intermediates 628(1993)191
Yan, B.-W., see Wang, Q.-S. 628(1993)127
Yoshida, M., Watabiki, T., Tokiyasu, T. and Ishida, N.
Determination of paraquat and diquat by liquid chromatography–thermospray mass spectrometry 628(1993)235
Yoza, K.-I., see Ohta, H. 628(1993)199
Yun, L. M., see Hendrix, C. 628(1993)49
Zhu, M., Spink, D. C., Bank, S., Chen, X. and DeCaprio, A. P.
Analysis of alkylpyrrole autoxidation products by high-performance liquid chromatography with thermospray mass spectrometry and UV photodiode-array detection 628(1993)37
Zusková, I., see Hirokawa, T. 628(1993)283